



Pro-Series Sales Resource

The RHINO Difference



Pneumatic • Hydraulic • Gasoline
Professional Grade Tools

How Pro-Series Gas Post Drivers drive your productivity and profits



Reliability

The highest quality components are utilized for these commercial grade impacting tools: From time-tested Honda® engines (approved and certified by Honda®), to the virgin grade aluminum, to S-7 tool steel, to superior, dual-sided sealed bearings, lubricant, and seals; Plus, a 3-stage quality control process and state-of-the-art inspection equipment – Ensure years of worry-free operation with basic maintenance intervals.



Driving Speed

Unique design and powerful output expedites your post driving – saving valuable time and many times reducing the need for additional labor resources.



Operator Comfort

Ergonomic design – Lightweight, balanced, and vibration reducing handles allow longer operating times. Equipped with Rhino's CIS™ vibration dampening and padded grip for handling comfort.



Productivity

Innovative chucks and adapters conform to specific posts for more efficient driving and allows for easy removal if a post deforms while driving.

Lightweight drivers are easy to transport and operate for long periods of time. Can be utilized in areas not accessible by other equipment.



Product Support

In addition to Rhino Tool Company, there are hundreds of local sales & service dealers ready to assist with product selection, or product repair.



Satisfaction Guarantee

Rhino stands behind the professional grade tools that we supply. If a Rhino Post Driver was selected and purchased through an authorized Rhino Distributor/Dealer, and you are not satisfied with its performance after the first 14 days of operation - contact Rhino at customersatisfaction@rhinotool.com to discuss your concerns. Rhino will resolve your issue with a needed accessory, change to a more appropriate model, or product return.

The RHINO Difference

How Pro-Series Gas Post Drivers drive your productivity and profits

Features	Benefits
<ul style="list-style-type: none"> • Chucks & Adapters 	<ul style="list-style-type: none"> • Increased productivity - Quickly change adapter for driving a variety of posts, and two-piece adapter design allows quick removal of driver from post when completed
<ul style="list-style-type: none"> • Padded Grip & Vibration Dampening Design 	<ul style="list-style-type: none"> • Increased operator comfort for longer operating/driving time
<ul style="list-style-type: none"> • Lightweight 	<ul style="list-style-type: none"> • Easy, one-man operation / maneuverable / Operate for longer periods / Safer operation
<ul style="list-style-type: none"> • Honda 4-stroke engine 	<ul style="list-style-type: none"> • Approved, certified, and backed by American Honda® Motor Company, Inc. No mixing gas, and power to drive through multiple soil types & frozen ground
<ul style="list-style-type: none"> • Tension-Grip Crank Case Cover Cap 	<ul style="list-style-type: none"> • Quick, easy, and tool-free removal for checking or applying lubrication
<ul style="list-style-type: none"> • Top throttle (option) 	<ul style="list-style-type: none"> • Operator safety and comfort while driving tent stakes - increasing productivity
<ul style="list-style-type: none"> • S7 Tool Steel, Virgin Aluminum, and shock resistant, heat treated steel components 	<ul style="list-style-type: none"> • Components designed for an impacting tool, to provide a long service life
<ul style="list-style-type: none"> • Made in the USA 	<ul style="list-style-type: none"> • Quality craftsmanship and components - We stand behind what we make, plus there are over 300 locally owned service centers
<ul style="list-style-type: none"> • Multi-Pro & Multi-Pro XA utilize a larger body, anvil and hammer 	<ul style="list-style-type: none"> • Generates 35% more power than Fence & Ranch Pro to accommodate larger posts and faster drive-time
<ul style="list-style-type: none"> • Modular Handles 	<ul style="list-style-type: none"> • Extended handles can be added for ease of installation or the lower handle can be removed for more maneuverability



POWERED by
HONDA[™]
Certification by
Honda Motor Co.




A Tradition of Quality and Service Since 1975



RHINO TOOL COMPANY
KEWANEE, IL 61443

 www.rhinotool.com

 866-707-1808

Gas Post Driver

Target Industries and Applications



Pneumatic • Hydraulic • Gasoline
Professional Grade Tools

Is there an industry or application that you feel would benefit from a Rhino Gas Post Driver? Contact us. We can recommend one of our existing products or create a custom solution.

INDUSTRY	APPLICATIONS
Fencing	Commercial & Residential Fencing
	Chain Link, Snow, Wood, Silt, Temporary Fence and T-Post Installation
Construction	Concrete Form Pin Installation
	Site Management:
	> Sign Post Installation
	> Fence (barrier & silt) Installation
	> Carsonite Marker Installation
Rental	Tent Rental
	Fence Installation
	Electrical Ground Rod Installation
	Contractors - Fence and Sign Installation
Electrical	Ground Rod Installation
	Carsonite Marker Installation
Communication	Satellite Dish Support Post Installation
Oil & Gas	a. Silt Fence Installation
	b. Spill Containment Fence Installation
	c. Ground Rod Installation
Agriculture	a. Containment Fence Installation
	b. Boundary Fence Installation
	c. Vineyard Stake Installation
	d. Ground Anchor Installation

Gas Post Driver

Target Industries and Applications

INDUSTRY	APPLICATIONS
Forestry	a. Fence (boundary or snow) Installation
	b. Erosion Control Installation
	c. Sign Post Installation
	d. Carsonite Marker Installation
	e. Ground Anchor Installation
Public Works	a. U-Channel Post installation
	b. Delineator Post Installation
	c. Fence Post Installation
	d. Snow Fence Installation
	e. Event & Boundary Fence Installation
	f. Carsonite Marker Installation
	g. Ground Anchor Installation
Sign Installation	a. U-Channel Post installation
	b. Delineator Post Installation
Landscaping	a. Fence (chain link, snow, silt) Installation
	b. Sign Post Installation
	c. Ground Anchor Installation
	d. Stake Installation
Marine	a. Dock Building & Extensions - Pipe Installation


Rhino Tool Company also supplies hydraulic and pneumatic drivers, pullers and construction tools. Visit www.rhinotool.com for more information.

A Tradition of Quality and Service Since 1975



RHINO TOOL COMPANY
KEWANEE, IL 61443

 www.rhinotool.com

 866-707-1808

Ranch Pro™

Ranch Pro Gas Powered Post Driver



Pneumatic • Hydraulic • Gasoline
Professional Grade Tools



Drive T-Posts quickly and safely without heavy equipment

The Ranch Pro Post Driver is ideal for agriculture, landscape, temporary fence, erosion control and electrical ground rod.

The Ranch Pro™ Post Driver

- Easily drives Ground Rods, T-Posts, Concrete Form Pins, and 1 - 5/8" posts.
- Comes with 1 3/4" I.D. Chuck and 1" adapter.
- Drives in multiple soil types and tough or frozen ground.
- Safer than hammers.
- Easy to transport - only 35 lbs, fully fueled.
- No additional equipment needed. Powered by the reliable Honda 4-Stroke Engine.
- Equipped with Rhino's CIS™ Vibration Dampening and padded grip for handling comfort.
- Made in the U.S.A. of quality materials for long tool life.

See it in action!



Use your phone to scan the QR code to view a Ranch-Pro Video on YouTube

Applications

Types & Sizes of Posts to be Driven O.D.(outside dimensions)	Chuck/Adapter
T-Post	Standard Chuck (Included)
Ground Rod, 1/2" & 3/4"	1" Adapter (Included)
Concrete Form Pin, 1"	1" Adapter (Included)
Round Pipe, 1" to 1-5/8"	Standard Chuck (Included)

Specifications

Master Chuck ID	1.75" (44.4 mm)
Driver Only Dimensions	11" W x 14" D x 24" H (280 x 356 x 610 mm)
Driver Only Weight	35.8 lbs. (16.2 kg)
Engine	Honda GX35 4-Stroke
BPM (beats per minute)	1720 (approximate)
Fuel	Unleaded Gas, 86 octane or higher
Fuel Capacity	0.67 qt. (0.63 ltr)
Engine Oil	SAE 10W-30
Lubricant	RHINO® Pro Series Grease
Shipping Weight	46 lbs. (20.86 kg)
Shipping Dimensions	30.5" L x 15" W x 18.25" H (775 x 381 x 464 mm)

Part No.	Description
300001	Ranch Pro™ Gas Power Driver
300897	1" Adapter with Lock Pin (Included)
300513	Oil, 3.2 oz. Bottle (Included)

Replacement Parts & Optional Accessories

Part No.	Description
300500	Rhino® Pro Series Grease (2.75 oz)
301233	Lower Handle Assembly
300508	Ranch Pro™ Service Kit
301250	Extended Handle Kit - 2' Long
301252	Extended Handle Kit - 4.5' Long
290050	Transport Cart
301600	Top Throttle Kit




**Ranch Pro Post Driver includes 1" adapter
Model No. 300001**




A Tradition of Quality and Service Since 1975

Visit rhinotool.com/dealer to find your nearest Rhino® retailer.

© Copyright 2019 Rhino Tool Company, Inc. Form 000417

 www.rhinotool.com

 866-707-1808

Fence ProTM

TM

Fence Pro Gas Powered Post Driver



Pneumatic • Hydraulic • Gasoline
Professional Grade Tools



*Pro-Series Extended Handles (301250) sold separately

Professional Fence Contractors rely on the Fence ProTM Post Driver

Install commercial grade fence, faster, with less equipment, supplies and manpower. Includes a 2-1/2" chuck equipped with RHINO[®] Chuck-Lok[™] Adapter Technology. This innovative post adapter system increases the post driver's efficiency and durability.

The Fence Pro[™] Post Driver

- Comes standard with a 2-1/2" I.D. Chuck, and Chuck Lok[™] System with 2" adapter. Optional 1-3/4" or 1" adapters are also available.
- The 2-1/2" chuck makes this a perfect choice for driving round posts up to 2-3/8" O.D. The 2" chuck sleeve drives T-Posts and smaller round posts.
- The Fence-Pro[™] drives post for many types of fencing, including erosion control, agricultural, containment, security, and residential.
- Lightweight and easy to transport.
- Compact enough for use by one installer. Fits into areas with limited access and maneuverability.
- No additional equipment needed. Powered by the reliable Honda 4-Stroke Engine.
- Equipped with Rhino's CIS[™] Vibration Dampening and padded grip for handling comfort.
- Made in the U.S.A. of durable, quality materials.

See it in action!



Use your phone to scan the QR code to view a Fence-Pro Video on YouTube

Applications	
Types & Sizes of Posts to be Driven O.D.(outside dimensions)	Chuck/Adapter
T-Post	1-3/4" Adapter (Optional)
Ground Rod, 1/2" & 3/4"	1" Adapter (Optional)
Concrete Form Pin, 1"	1" Adapter (Optional)
Round Pipe, 1" to 1-7/8" Dia.	2" Adapter (Included)
Round Pipe, 1-3/4 to 2-3/8" Dia.	Standard Chuck (Included)

Specifications	
Master Chuck I.D.	2.50" (44.4 mm)
Driver Only Dimensions	11" W x 14" D x 24" H (280 x 356 x 610 mm)
Driver Only Weight	37.8 lbs (17.1 kg)
Engine	Honda GX35 4-Stroke
BPM (beats per minute)	1720 (approximate)
Fuel	Unleaded Gas, 86 octane or higher
Fuel Capacity	0.67 qt. (0.63 ltr.)
Engine Oil	SAE 10W-30
Lubricant	RHINO® Pro Series Grease
Shipping Weight	46 lbs. (20.86 kg)
Shipping Dimensions	30.5" L x 15" W x 18.25" H (775 x 381 x 464 mm)

Part No.	Description
301001	Fence Pro™ Gas Power Driver w/Chuck-Lok™ System
300902	Rhino® Chuck-Lok™ System 2" (50.8mm) Adapter (Included)
300513	Oil, 3.2 oz. Bottle (Included)
301920	Rhino® Chuck-Lok™ Locking Nut (included)

Replacement Parts & Optional Accessories	
Part No.	Description
300900	Rhino® Chuck-Lok™ System 1" (25.4mm) Adapter
300895	Rhino® Chuck-Lok™ System 1-3/4" (44.4mm) Adapter
301233	Lower Handle Assembly
301508	Fence Pro™ Service Kit
300500	Rhino® Pro Series Grease (2.75 oz)
301250	Extended Handle Kit - 2' Long
301252	Extended Handle Kit - 4.5' Long
301600	Top Throttle Kit
290050	Transport Cart



Model No. 301001
Fence Pro™ Post Driver includes a 2" adapter




A Tradition of Quality and Service Since 1975

Visit rhinotool.com/dealer to find your nearest Rhino® retailer.

 www.rhinotool.com

© Copyright 2019 Rhino Tool Company, Inc. Form 000418

 866-707-1808

Multi-Pro™

Multi-Pro Gas Post Driver



Pneumatic • Hydraulic • Gasoline
Professional Grade Tools

Adaptable to fit your post installation challenges

The Rhino® Multi-Pro™ Gas Post Driver powered by a Honda 4-cycle engine, is engineered with increased driving dynamics to drive larger posts and the versatility to take on more post driving applications.

- Larger body, hammer, and anvil provide 35% more hitting power than the Fence Pro™
- Includes Rhino® Chuck-Lok™ 1", 1 - 3/4", 2" Adapters
- Versatile external chuck design can be configured for driving 1.2-4 lb channel post, tent stake, or 1-3/4" to 2-1/2" square sign post and square post sign anchor with a drive cap.
- Quick change chuck is designed to receive the Chuck-Lok™ Adapter System and be quickly removed when changing accessories
- Two-piece adapter design allows quick removal of driver from the post
- Equipped with Rhino's CIS™ Vibration Dampening
- Padded grip for handling comfort
- Powered by Honda® GX35 4-Stroke Engine
- Shock resistant heat-treated steel components
- Double sided, sealed bearings on all rotating parts
- Removable bottom handle



See it in action!



Use your phone to scan the QR code to view a Multi-Pro Video on YouTube



Applications	
Types & Sizes of Posts to be Driven O.D.(outside dimensions)	Chuck/Adapter
T-Post	1-3/4" Adapter (Included)
Ground Rod, 1/2" & 3/4"	1" Adapter (Included)
Concrete Form Pin, 1"	1" Adapter (Included)
Round Pipe, 1" to 1-5/8"	1-3/4" Adapter (Included)
Round Pipe, 1-7/8"	2" Adapter (Included)
Round Pipe, 1-3/4" to 2-3/8"	Standard Chuck (Included)
Square Tube, 1-1/2" to 2-1/2"	Square Tube Chuck (Optional) *
Channel Post, 1.2 to 4 lbs.	Slotted Chuck (Optional)

*Drive Cap Option is also required for this application

Specifications	
Master Chuck ID	2.5" (63.5 mm)
Driver Only Dimensions	11" W x 14" D x 26.75" H (280 x 356 x 680 mm)
Driver Only Weight	43.7 lbs. (19.8 kg)
Engine	Honda GX35 4-Stroke
BPM (beats per minute)	1720 (approximate)
Fuel	Unleaded Gas, 86 Octane or Higher
Fuel Capacity	0.67 qt. (0.63 ltr)
Engine Oil	SAE 10W-30
Lubricant	RHINO® Pro Series Grease
Shipping Weight	53 lbs. (24 kg)
Shipping Dimensions	30.5" L x 15" W x 18.25" H (775 x 381 x 464 mm)

Note: Custom chucks may be available for your specific application contact Rhino Tool Company.

Part No.	Description
301002	Rhino® Multi-Pro™ Gas Driver w/Chuck Lok Syst.
300902	2" (50.8mm) Adapter (Included)
300895	1¾" (44.4mm) Adapter (Included)
300900	1" (25.4mm) Adapter (Included)
301000	¼" Long Arm Hex Key (Included)
300513	Oil, 3.2 oz. Bottle (Included)





POWERED by
HONDA

Order Information and Accessories	
Part No.	Description
301920	Chuck-Lok™ Locking Nut
301155	Tent Stake Chuck
301425	Square Tube Chuck
300957	1¾" (44.45mm) OD Square Tube Drive Cap
300958	2" (50.8mm) OD Square Tube Drive Cap
300959	2¼" (57.15mm) OD Square Tube Drive Cap
300960	2½" (63.5mm) OD Square Tube Drive Cap
300500	Rhino® Pro Series Grease (2.75 oz)
300506	Rhino® Pro Series Grease - 12-pack
301509	Multi-Pro™ Service Kit
301250	Extended Handle Kit - 2' Long
301252	Extended Handle Kit - 4.5' Long
290050	Transport Cart
301600	Top Throttle Kit
301525	Multi-Pro™ Service Kit

A Tradition of Quality and Service Since 1975

Visit rhinotool.com/dealer to find your nearest Rhino® retailer.

 www.rhinotool.com
 866-707-1808

Multi-Pro XA

Multi-Pro Gas Post Driver with Extended Anvil



Pneumatic • Hydraulic • Gasoline
Professional Grade Tools

For Professional Installers

The Multi-Pro™ XA Gas Post Driver is the most versatile driver in the Rhino Pro-Series line of gas post drivers. From T-post to large wood posts, the Multi-Pro XA can be adapted to handle a wide range of post diameters and materials.

Includes the following features shown at right:

- Comes with Rhino® Extended Anvil installed
- Includes Rhino® Chuck-Lok™ 1", 1 - 3/4", 2" Adapters
- Rhino® Tension-Grip crankcase cover provides tool-free removal for ease of lubricant application
- Quick change chuck is designed to receive the Chuck-Lok™ Adapter System and be quickly removed when changing accessories
- Two-piece adapter design allows quick removal of driver from the post
- Equipped with Rhino's CIS™ Vibration Dampening
- Padded grip for handling comfort
- Powered by Honda® GX35 4-Stroke Engine
- Shock resistant heat-treated steel components
- High-grade virgin aluminum cast body
- Double sided, sealed bearings on all rotating parts
- Removable bottom handle
- Made in the U.S.A.
- Rhino Lifetime Impact Warranty.
See warranty statement for details



See it in action!



Use your phone to scan the QR code to view a Multi-Pro XA Video on YouTube



Applications	
Types & Sizes of Posts to be Driven O.D. (outside dimensions)	Chuck/Adapter
T-Post	1-3/4" Adapter (Included)
Ground Rod, 1/2" & 3/4"	1" Adapter (Included)
Concrete Form Pin, 1"	1" Adapter (Included)
Round Pipe, 1" to 1-5/8"	1-3/4" Adapter (Included)
Round Pipe, 1-3/4" to 1-7/8"	2" Adapter (Included)
Round Pipe, 2" to 2-3/8"	Extended Master Chuck (Included)
Tent Stake, 3/4" to 2-1/2"	Tent Stake Chuck (Optional)
Square Tube, 1-3/4" to 2-1/2"	Square Anchor Chuck *
Channel Post, 1.2 to 4 lb.	Slotted Chuck (Optional)
Silt Fence Post	Slotted Chuck (Optional)
Round Solid Wood Post, 3-7/8"	Adapter Plate & 4" Chuck (Optional)
Round Solid Wood Post, 2-1/2" to 3-3/8"	Adapter Plate & 3-1/2" Chuck (Optional)
Square Solid Wood Post, 2" to 2-7/8"	Adapter Plate & 3" Square Chuck (Optional)

* Drive Cap also required for this application

Specifications	
Master Chuck ID	2.5" (63.5 mm)
Driver Only Dimensions	11" W x 14" D x 28.5" H (280 x 356 x 724 mm)
Driver Only Weight	47 lbs. (21.3 kg)
Engine	Honda GX35 4-Stroke
BPM (beats per minute)	1720 (approximate)
Fuel	Unleaded Gas, 86 Octane or Higher
Fuel Capacity	0.67 qt. (0.63 ltr)
Engine Oil	SAE 10W-30
Lubricant	Rhino® Pro Series Grease
Shipping Weight	55 lbs. (24.9 kg)
Shipping Dimensions	30.5" L x 15" W x 18.25" H (775 x 381 x 464 mm)

Part No.	Description
301003	Rhino® Multi-Pro XA™ Gas Powered Driver w/Chuck Lok Syst.
300902	2" (50.8mm) Adapter (Included)
300895	1¾" (44.4mm) Adapter (Included)
300900	1" (25.4mm) Adapter (Included)
301000	¼" Long Arm Hex Key (Included)
300513	Oil, 3.2 oz. Bottle (Included)



Replacement Parts & Optional Accessories	
Part No.	Description
301920	Rhino® Chuck-Lok™ Locking Nut
300957	1¾" (44.45mm) OD, Square Tube Drive Cap
300958	2" (50.8mm) OD, Square Tube Drive Cap
300959	2¼" (57.15mm) OD, Square Tube Drive Cap
300960	2½" (63.5mm) OD, Square Tube Drive Cap
300500	Rhino® Pro Series Grease, 2.75 oz.
300506	Rhino® Pro Series Grease - 12-pack
301525	Multi-Pro™ Service Kit
301425	Square Chuck
301400	Large Chuck Adapter Plate
301403	3½" (88.9mm) Round Wood Post Chuck
301405	4" (101.6mm) Round Wood Post Chuck
301415	3" (76.2mm) Square Wood Post Chuck
301169	Extended Anvil
301420	Extended Master Chuck
301159	Slotted Master Chuck
301250	Extended Handle Kit - 2' Long
301252	Extended Handle Kit - 4.5' Long
290050	Transport Cart
301600	Top Throttle Kit

A Tradition of Quality and Service Since 1975

Visit rhinotool.com/dealer to find your nearest Rhino retailer.

000396.123.05.08

© Copyright 2021 Rhino Tool Company, Inc.

 www.rhinotool.com
 866-707-1808

Channel Post Driver™

Multi-Pro XA Channel Post Driver with Top Throttle
Part No. 301014



Pneumatic • Hydraulic • Gasoline
Professional Grade Tools

Comes with Top Throttle installed for ground level installations

POWERED by HONDA™



Use Side Throttle for taller posts

Comes with Slotted Chuck installed

The Multi-Pro™ XA Channel Post Driver is perfect for Master Halco Postmaster and Postmaster Plus installations

The Original PostMaster®



- Also accomodates the most frequently driven municipal sign posts.
- Top Throttle installed for easier driving with less bending.
- Fits 2-3/8" O.D. round post, and all Postmaster Posts
- Equipped with Rhino's CIS™ Vibration Dampening.
- Padded grip for handling comfort.
- Made in the U.S.A.
- Rhino Lifetime Impact Warranty. See warranty online for details.

Applications

Types & Sizes of Posts to be Driven (outside dimensions)	Chuck/Adapter
Channel Post, 1.2 to 4 lb.	Slotted Chuck (Included)
Master Halco Post	Slotted Chuck (Included)
Silt Fence Post	Slotted Chuck (Included)
C & Super C-Post	Slotted Chuck (Included)
Square Tube, 1-3/4" to 2-1/2"	Square Anchor Chuck (Optional)

See parts and accessories on next page



See it in action!



Use your phone to scan the QR code to view a Multi-Pro XA Video on YouTube

Specifications	
Master Chuck ID	2.5" (63.5 mm)
Driver Only Dimensions	11" W x 14" D x 26.5" H (280 x 356 x 673 mm)
Driver Only Weight	45.8 lbs. (21.4 kg)
Engine	Honda GX35 4-stroke
BPM (beats per minute)	1720 (approximate)
Fuel	Unleaded Gas, 86 Octane or Higher
Fuel Capacity	0.67 qt. (0.63 ltr)
Engine Oil	SAE 10W-30
Lubricant	RHINO® Pro Series Grease
Shipping Weight	54.5 lbs. (24.72 kg)
Shipping Dimensions	30.5" L x 15" W x 18.25" H (775 x 381 x 464 mm)



Part No.	Description
301014	Multi-Pro XA™ Channel Driver w/Slotted Chuck & Top Throttle
301000	¼" Long Arm Hex Key (Included)
300513	Oil, 3.2 oz. Bottle (Included)


Replacement Parts & Optional Accessories	
Part No.	Description
300500	Rhino® Pro Series Grease, 2.75 oz.
300506	Rhino® Pro Series Grease - 12-pack
301525	Multi-Pro™ Service Kit
301250	Extended Handle Kit - 2' Long
301252	Extended Handle Kit - 4.5' Long
301425	Square Anchor Chuck
300957	1.75" Square Tube Drive Cap
300958	2" Square Tube Drive Cap
300959	2.25" Square Tube Drive Cap
300960	2.5" Square Tube Drive Cap
290050	Transport Cart




A Tradition of Quality and Service Since 1975



Visit rhinotool.com/dealer to find your nearest Rhino® retailer.

 www.rhinotool.com

© Copyright 2021 Rhino Tool Company, Inc. 000341.23.05.11

 866-707-1808



Multi-ProTM

Tent Stake Driver



Pneumatic • Hydraulic • Gasoline
Professional Grade Tools

For Professional Tent Installers

The Multi-ProTM Tent Stake Driver has ergonomic features that allow the user to start the post driver with the standard side throttle, but then finish driving with the post driver holding the additional top throttle.

Includes the following features:

- Comes with Rhino[®] Tent Stake Chuck installed.
- Top Throttle installed for easier tent stake driving with less bending for the installer.
- Service Kit for general maintenance
- Equipped with Rhino's CISTM Vibration Dampening.
- Padded grip for handling comfort.
- Removable bottom handle.
- Made in the U.S.A.




See it in action!



Use your phone to scan the QR code to view a Multi-Pro Tent Stake Driver Video on YouTube





Applications

Types & Sizes of Posts to be Driven O.D.(outside dimensions)	Chuck/Adapter
Tent Stake, 3/4" to 2-1/2"	Tent Stake Chuck (Included)

Specifications

Master Chuck ID	2.5" (63.5 mm)
Driver Only Dimensions	11" W x 14" D x 23.5" H (280 x 356 x 597 mm)
Driver Only Weight	42.2 lbs. (19.1 kg)
Engine	Honda GX35 4-Stroke
BPM (beats per minute)	1720 (approximate)
Fuel	Unleaded Gas, 86 Octane or Higher
Fuel Capacity	0.67 qt. (0.63 ltr)
Engine Oil	SAE 10W-30
Lubricant	Rhino Pro Series Grease
Shipping Weight	54.5 lbs. (25 kg)
Shipping Dimensions	30.5" L x 15" W x 18.25" H (775 x 381 x 464 mm)

Part No.	Description
301012	Rhino® Multi-Pro™ Gas Driver w/Tent Stake Master Chuck & Top Throttle
301000	1/4" Long Arm Hex Key (Included)
300513	Oil, 3.2 oz. Bottle (Included)



Includes Top Throttle for ease of use when driving tent stakes to ground level.



Unit is shipped with tent stake chuck already installed.


Replacement Parts & Optional Accessories

Part No.	Description
301155	Tent Stake Chuck
300500	Rhino® Pro Series Grease (2.75 oz)
300506	Rhino® Pro Series Grease - 12-pack
301525	Multi-Pro™ Service Kit
301250	Extended Handle Kit - 2' Long
301252	Extended Handle Kit - 4.5' Long
290050	Transport Cart

A Tradition of Quality and Service Since 1975

Visit rhinotool.com/dealer to find your nearest Rhino® retailer.

 www.rhinotool.com

 866-707-1808

Pro-Series™

Transport Cart

Accessory for Pro-Series Gas Powered Post Drivers
Part No. 290050



Pneumatic • Hydraulic • Gasoline
Professional Grade Tools




Gas Driver Transport & Display

For your Fence Pro™, Ranch Pro™, Multi-Pro™ and Multi-Pro™ XA Gas Powered Drivers

(Multi-Pro™ Unit shown available separately)

Carts include the following features:

- Secure Post Driver Transport
- Mobility to and from job sites
- Easy Showroom Display for Pro Series™ Drivers
- Canvas bag attached provides storage for Pro Series™ Driver Manuals and Adaptors
- Zinc plated for corrosion resistance
- Quick and Easy Assembly
- Padded grip for handling comfort
- Large Diameter wheels for easy maneuvering
- Stands up to job site challenges and rough terrain
- Made in the U.S.A.
- Adaptable to work with any of the Rhino® Pro Series Drivers.



Hardware Included:

- (2) Cart Frame 90° Socket Tee Connectors **BB**
- (2) Cart Frame Bolts 5/16-18 x 1 1/4 **CC**
- (2) Upper Frame Flanged Locknut 5/16-18 **DD**
- (2) 1/2-13 Hex Bolt **EE**

Specifications	
Dimensions in (mm) Driver with cart	32-1/2 x 16-3/8 x 14-3/4 (825.5 x 415.92 x 374.65)
Weight lbs (kg)	Cart 23 lbs (10kg)
290050	Transport Cart
290040	Hardware Kit

A Tradition of Quality and Service Since 1975




Visit rhinotool.com/dealer-locator to find your nearest Rhino® dealer.

www.rhinotool.com

866-707-1808





Pro-Series™ Extended Handle Kits

The installation of extended handles on your Rhino Ranch Pro, Fence Pro Multi-Pro, or Multi-Pro XA Gas Post Driver, will allow one individual to install tall posts (up to 10'), safely and efficiently. Typical applications are wild-life, security and crowd control fencing or sites unable to accommodate large equipment.

- Eliminate the need for ladders
- Increase job-site safety
- Increase project productivity
- Allow one person to install tall post quickly/efficiently
- Provide access for fence installations in tight spaces and rough terrain.



Part No.	Pro-Series™ Handle Kits	Dimensions	Ship Wt.
301250	2' Extended Handle Kit*	26" x 6" x 6"	7 lbs (3.17 kg)
301252	4.5' Extended Handle Kit*	60" x 6" x 6"	10 lbs (4.53 kg)

Notes:


1. Kit only fits Rhino Drivers with tube style handles.
2. Kit does not include a Post Driver.
3. If your Pro-Series Driver does not have a lower handle, a lower handle must be ordered separately (p/n 301233). Do not use extended handles without lower handle.

A Tradition of Quality and Service Since 1975



Call or visit rhinotool.com/resources to find your local distributor.

 www.rhinotool.com

 866-707-1808

Pro-Series Top Throttle™

Top Throttle Accessory for all Pro-Series Post Drivers



Pneumatic • Hydraulic • Gasoline
Professional Grade Tools




Pro-Series Top Throttle

The Pro-Series™ Top Throttle has ergonomic features that allow the user to start the post driver with the standard side throttle, but then finish driving holding the additional top throttle.

For your Fence Pro™, Ranch Pro™, Multi Pro™ and Multi Pro™ XA Gas Powered Drivers

- Less bending required to drive ground level stakes.
- Easy access trigger integrated with padded handle.
- Can be added to newer Rhino Pro-Series Drivers.
- Allows for straighter positioning, keeping the weight of the machine squarely on the post.



Installs on existing tube style handles. Easy twist start trigger.



Start tall posts with the side throttle and finish with the top throttle.

Order Information and Accessories

Ship Wt.	2.28 lbs (1.03 kg)
Part No.	Description
301600	Pro-Series™ Top Throttle

A Tradition of Quality and Service Since 1975



Visit rhinotool.com/dealer to find your nearest Rhino® retailer.

www.rhinotool.com

000422.08.13.18_DG © Copyright 2018 Rhino Tool Company, Inc.

866-707-1808



Rental Pro Kit™

Multi-Pro XA Post Driver and accessories

Part No. 301951



**Pneumatic • Hydraulic • Gasoline
Professional Grade Tools**

The Rhino® Rental Pro Kit™ was designed to meet the demands of rental customers and create revenue for rental store owners. The kit assembles the most commonly used adapters, chucks and drive caps; used to drive t-post, fence posts, pipe, tube, and channel into a variety of soil types. The bolt on chuck allows the Rental Pro Kit to adapt to many different post shapes and sizes.

- The compact, lightweight unit reduces user fatigue.
- Honda GX35 4 stroke engine eliminates the need to mix gas.
- Includes a square chuck with 2 drive caps for square tube break away sign posts, 2¼" and 2½". Contact Rhino Tool Company for additional sizes.
- Slotted Chuck included for Channel Posts.
- Accommodates the most frequently driven municipal sign posts.
- The design includes ergonomically balanced cushioned grip handles with Rhino® CIS™ anti-vibration dampening for operator comfort.
- The Rhino Chuck Lok™ system includes 1", 1¾" and 2" adapters that allow the operator to quickly adjust to drive different post sizes in the field.
- Made in the U.S.A.
- The Rhino® Pro-Series Transport Cart serves as storage and a display when not being rented.



POWERED by HONDA

Specifications	
Dimensions in (mm) Driver with cart	32-1/2 x 16-3/8 x 14-3/4 (825.5 x 415.92 x 374.65)
Weight lbs (kg)	Multi-Pro XA 47.25 (27.43)
Weight lbs (kg)	Cart 23 lbs (10kg)
Engine	Engine: Honda GX35 4 Stroke
Performance (Approx.)	BPM (Beats per Min) 1720
Engine Configuration	4-stroke, 35.8 cc
Fuel	Unleaded Gas, 86 octane or higher
Fuel Capacity—US qt (ltr)	0.67 (0.63)
Engine Oil	SAE 10W-30

Rental Pro Kit Includes these accessories



300900 300895 300902 301159



300960 300959 301425



A Tradition of Quality and Service Since 1975

Visit rhinotool.com/dealer-locator to find your nearest Rhino® dealer.

www.rhinotool.com

866-707-1808



Rental Pro Kit™

Multi-Pro XA Post Driver and accessories

Part No. 301951



**Pneumatic • Hydraulic • Gasoline
Professional Grade Tools**

Included in the Rental Pro Kit:	
Ship Wts. approx.	Description
Driver: 54.5 lb (25 kg) - Cart: 23 lbs (10 kg) - Drive Caps and Chucks: 20 lbs (9kg)	
Part No.	Description
301003	Rhino® Multi-Pro™ XA Post Driver
290050	Gas Post Driver Cart
301159	Multi-Pro Slotted Chuck
301425	Multi-Pro XA Square Anchor Chuck
300959	Drive Cap for 2¼" Square Anchor Tube
300960	Drive Cap for 2½" Square Anchor Tube
300902	Rhino® Chuck-Lok™ System 2" (50.8mm) Adapter (1 per driver)
300895	Rhino® Chuck-Lok™ System 1¾" (44.4mm) Adapter (1 per)
300900	Rhino® Chuck-Lok™ System 1" (25.4mm) Adapter (1 per driver)
301525	Rhino® Multi-Pro Service Kit



Includes sturdy, fabric bag for holding owners manual and adapters.



Tough metal framework and large wheels easily maneuver through job site challenges.



Post Driver easily lifts off cart with a quick pull of the driver mount release handle.

Optional accessories:

PL3
Post Puller
071000 with Puller
Adapters Sold
Separately



071042 Tent Stake Grabber, 071041 Panel Post Grabber, 071040 Post Grabber Sold Separately



301415, 301403, 301405 used with 301400 Large Adapter plate, can be used to drive 3" Square Wood Posts and 3.5" to 4" Round Wood Posts



301600 Top Throttle Kit can be added to driver for ease of use when driving to ground level.



301525 Multi-Pro Service Kit is available for general post driver maintenance as recommended by the Multi-Pro Owners Manual Maintenance Schedule.

A Tradition of Quality and Service Since 1975



Visit rhinotool.com/dealer-locator to find your nearest Rhino® dealer.

www.rhinotool.com

866-707-1808



Ground Rod Driver™

Ranch Pro Post Driver with standard 1" adapter



Pneumatic • Hydraulic • Gasoline
Professional Grade Tools



Drive Safer and Faster!

The Ranch Pro Post Driver is ideal for Professional Electrical Utility Contractors and Linemen.

The Ranch Pro™ Post Driver

- Easily drives Ground Rods, T-Posts, Concrete Form Pins, and 1 - 5/8" posts.
- Comes with 1 3/4" I.D. Chuck and 1" adapter.
- Drives in multiple soil types and tough or frozen ground.
- Safer than hammers.
- Easy to transport - only 35 lbs, fully fueled.
- No additional equipment. Powered by reliable Honda 4-Stroke Engine.
- Equipped with Rhino's CIS™ Vibration Dampening and padded grip for handling comfort.
- Made in the U.S.A. of quality materials for long tool life.

See it in action!



www.facebook.com/rhinotoolcompany/



RhinoTV

A Tradition of Quality and Service Since 1975



Visit rhinotool.com/dealer to find your nearest Rhino® retailer.



www.rhinotool.com



866-707-1808

Ground Rod Driver™

Ranch Pro Post Driver with standard 1" adapter



Pneumatic • Hydraulic • Gasoline
Professional Grade Tools

Applications	
Types & Sizes of Posts to be Driven (outside dimensions)	Chuck/Adapter
T-Post	Standard Chuck
Ground Rod	1" Adapter
Concrete Form Pin	1" Adapter
1-5/8" Post	Standard Chuck

Specifications	
Master Chuck ID-in (mm)	1.75" (44.4)
Overall Dimensions in (mm)	13 W x 14 D x 20.5 H (330 x 355 x 528)
Weight-lb (kg)	33.5 lbs (15.2 kg)
Power	4-stroke
Performance	1720 BPM (approximate)
Fuel	Unleaded Gas, 86 octane or higher
Fuel Capacity-US qt (ltr)	0.67 (0.63)
Engine Oil	SAE 10W-30
Grease	RHINO® Pro Series Lubricant

Order Information and Accessories	
Ship Wt.	41 lb (18.59 kg)
Part No.	Description
300001	Ranch Pro™ Gas Power Driver (standard with 1" Adapter)
300500	Rhino® Pro Series Lubricant (2.75 oz)
301233	Lower Handle Assembly (optional)
300508	Ranch Pro™ Service Kit
300897	1" Adapter with Lock Pin

POWERED by
HONDA™



Ranch Pro Post Driver includes 1" adapter
Model No. 300001



A Tradition of Quality and Service Since 1975

Visit rhinotool.com/dealer-locator to find your nearest Rhino® dealer.

www.rhinotool.com

© Copyright 2017 Rhino Tool Company, Inc. Form 000395.11.15.2017

866-707-1808

Ground Rod Installation ToolTM

Accessory for Rhino Pro-Series Post Drivers

Part No. 300940



Pneumatic • Hydraulic • Gasoline
Professional Grade Tools




Safely drive ground rods without a ladder or bucket truck

The Rhino Ground Rod Installation tool and Pro-Series Post Drivers* are an ideal combination for Professional Electrical Utility Contractors and Linemen for driving rods safer and faster.

- Easily drives 3/8", 1/2", 5/8" and 3/4" Ground Rods using the Rhino Ranch Pro, Fence Pro*, Multi-Pro Post and Multi-Pro XA Post Drivers combined with the Ground Rod Installation Tool and included Drive Cap
- The Ground Rod Installation Tool and Drive Cap are made in the U.S.A of quality materials for long tool life and easy to order parts.
- Can be used by one installer to drive ground rod below grade in seconds.
- Keeps installers safely on the ground (no ladders) while installing and eliminates hand injuries associated with driving ground rod manually.

* Pro-Series Post Drivers sold separately. Additional 1 inch adapter must be ordered to use with the Fence Pro Post Driver



Specifications		
Part No.	Description	
300940	Kit Only	2 lbs. (1 kg)
300943	Tool Block Only	24" W x 0.75" D x 2" H (609 x 19 x 51 mm)
300944	Drive Cap Only	2" W x 2" D x 8.25" H (51 x 51 x 209 mm)
Kit Ship Wt.	7 lbs. (3 kg)	
Kit Ship Dimensions	30.5" L x 15" W x 18.25" H (775 x 381 x 464 mm)	

A Tradition of Quality and Service Since 1975



Visit rhinotool.com/dealer to find your nearest Rhino® retailer.

www.rhinotool.com

866-707-1808

© Copyright 2019 Rhino Tool Company, Inc.



Municipal Sign Kit

Sign post installation accessories for the
Rhino® Multi-Pro XA Gas Post Driver



Pneumatic • Hydraulic • Gasoline
Professional Grade Tools

Ideal for Public Works, Transportation Departments and Landscape Maintenance Professionals

Kit contains everything needed to drive the most commonly used road sign post types, such as U-Channel and Square Tube Break Away Anchor systems, adapting your Rhino Multi-Pro XA Post Driver (driver not included) to expedite all your sign post driving requirements.

Sign Kit converts the Multi-Pro XA to drive:

2" O.D., 12 ga. Square Tube

2-1/4" O.D., 12 ga. Square Tube

2-1/2" O.D., 12 ga. Square Tube

Silt Fence or Snow Fence

1.2 to 4 lbs./ft. Channel Post



Municipal Sign Kit

Sign post installation accessories for the Rhino® Multi-Pro XA Gas Post Driver (Driver not included)

RHINO MUNICIPAL SIGN KITS:	
MULTI-PRO XA KIT	
Part No.	301190
Ship Wt.	22 lb (10 kg) approx.
Part No.	Kit Contains
300958	Drive cap for 2" (50.8mm) O.D. Square Tube
300959	Drive cap for 2¼" (57.15mm) O.D. Square Tube
300960	Drive cap for 2½" (63.5mm) O.D. Square Tube
301159	Slotted Chuck
301425	Square Chuck

2 CHUCKS



301425

301159

2.625"
I.D.

2.5"
I.D.

3 DRIVE CAPS



300958

300959

300960

Note: Drive Caps are sold by the outside dimension of the square anchor post.



Tools and post driver not included.




Scan for video on how to Install chucks on the Multi-Pro XA driver lower body

A Tradition of Quality and Service Since 1975



RHINO TOOL COMPANY
KEWANEE, IL 61443

 www.rhinotool.com

 866-707-1808

Pro-Series Transport Case

Accessory for Gas Powered Post Drivers



Pneumatic • Hydraulic • Gasoline
Professional Grade Tools

Transport Case for Gas Drivers

Fits your Fence Pro™, Ranch Pro™, Multi-Pro™ and Multi-Pro™ XA Gas Powered Driver.

- High-density, double wall construction
- Molded interior fits all Rhino Gas Post Driver models
- Secure, durable metal latches and hinges
- Recessed compartments keep accessories organized
- Designed to properly position and protect the post driver
- Two molded handles, one with padlock hole, for easy tie down during transport
- Tough design withstands everyday use
- Made in the U.S.A.

Specifications	
Dimensions in (mm)	39"(L) x 16"(W) x 19"(H) (991 x 406 x 483)
Shipping Dimensions in (mm)	40"(L) x 17"(W) x 20"(H) (1016 x 432 x 508)
Weight lbs (kg) - Case Only	19 lbs (8.6 kg)
Part Number	
FOR CASE ONLY	301500
Ranch Pro with Case	310001
Fence Pro with Case	311001
Multi-Pro with Case	311002
Multi-Pro XA with Case	311003
Multi-Pro XA CP* with Case	311007
Multi-Pro TS** with Case	311012
Multi-Pro XA TS with Case	311013
Multi-Pro XA CP with Top Throttle and Case	311014

* Channel Post Driver

**Tent Stake Post Driver



A Tradition of Quality and Service Since 1975



Visit rhinotool.com to find your nearest Rhino® dealer.

23.05.31 © Copyright 2023 Rhino Tool Company, Inc.

www.rhinotool.com

866-707-1808





PNEUMATIC • HYDRAULIC • GASOLINE
PROFESSIONAL GRADE TOOLS

A TRADITION OF QUALITY AND SERVICE SINCE 1975